

RC-1324-PDL



13 TO 24 PIN BUS CONVERTER OWNER'S MANUAL

DESCRIPTION

The RC-1324-PDL is a unique processor designed to convert modern, 13-pin Roland guitar synthesizer signals to the 24-pin format used by vintage Roland and Roland-compatible guitar synthesizers.

Because the vintage Roland guitars featured more controls than modern systems, the RC-1324-PDL's control panel recreates the essential controls for a vintage system.

To replace the LFO touch pads on a vintage guitar controller, the RC-1324-PDL has a front panel foot switch and a CV pedal input on the back for handsfree control over vibrato/LFO depth.

Please read this owner's manual carefully before using the RC-1324-PDL.

The RC-1324-PDL incorporates circuitry and concepts designed by Mark Smart.

IMPORTANT NOTES

- When connecting a guitar and synthesizer to the RC-1324-PDL, be sure that power to the synthesizer(s) is switched off.
- The 13-pin connector used with the RC-1324-PDL is a locking style connector, and therefore cables cannot be

disconnected unless the locking pin is released.

- Using the 1/4" output on the guitar while at the same time using the 13-pin output may create a ground loop or signal hum.

FRONT PANEL

- 1. FILTER Preset Controls:** Generally, these knobs control the filter cutoff on the Roland GR-100, GR-300, and GR-700. With the Roland GM-70 and Ibanez MC-1, this knob can be assigned various functions. The foot switch located below the two preset knobs selects between preset 1 and preset 2. The red and green LEDs indicate which preset is active.
- 2. RESONANCE Control:** This knob controls the filter resonance, or emphasis, on the Roland GR-100 and GR-300. On the Roland GR-700, this is the EDIT knob.
- 3. MODE Switch:** This switch reproduces the function of the **MODE Switch**. Like the **MODE Switch** on a vintage guitar, **Mode I** is selected when the switch is in the up position. **Mode II** is selected when the switch is in the middle position, and **Mode III** is selected when the switch is in the down position.
- 4. LFO Control:** This knob controls the LFO or vibrato depth on the Roland GR-100, GR-300, and GR-700. With the Roland GM-70 and Ibanez MC-1, this knob can be assigned various functions, though the default value is modulation depth. With a CV pedal plugged into the **LFO Pedal** jack on the back of the RC-1324-PDL, the **LFO Control** works together with the pedal. The front panel **LFO Control** always controls the maximum amount of LFO depth. For example, with the front panel control at 50%, or in the 12 o'clock position, the maximum LFO depth will be 50%. Plugging a pedal into the rear LFO jack and pressing the pedal all the way to the floor will still only result in a maximum LFO depth of 50%. The foot switch below the LFO knob is used to turn the LFO on and off, and the yellow LED above the switch will glow when the LFO is on.
- 5. BALANCE Preset Controls:** These knobs control the balance between the Synthesizer output and the Guitar output. By turning a knob in a clockwise direction, the output will blend from 100% guitar to 100% synthesizer. The 12 o'clock position will result in an approximate 50/50 blend of guitar and synthesizer. The knob in a fully clockwise position results in a synthesizer only output. To use this feature, it is important to turn the guitar volume knob to maximum. If you are using a GK-1, GK-2 or GK-3 equipped guitar, be sure to have the guitar plugged into the GK controller module, and turn the regular guitar volume to maximum. If no guitar is plugged into the GK module, or if the volume is turned down on the guitar, the **Balance Knob** will simply work like a regular volume knob. The foot switch located below the two preset knobs selects between preset 1 and preset 2. The red and green LEDs indicate which preset is active. **IF YOUR GUITAR HAS A GTR/GTR+SYNTH/SYNTH SWITCH, SET THE POSITION TO "GTR+SYNTH"**
- 6. Top Panel String Level Adjustment Controls:** Use these knobs to adjust the output level of each string. Start with the knobs in the 50%, or 12-o'clock position, and play each string and adjust for sensitivity. Each Roland synthesizer responds differently to string level. Some synthesizers will have trouble tracking a string with the output turned up too high.

REAR PANEL

- 1. 24-Pin Output:** This is the guitar synthesizer output. Connect a Roland C-24D or similar 24-pin cable from this connector to a vintage Roland, or Roland compatible guitar synthesizer.
 - 2. 13-Pin Input:** Input for Modern, GK or RMC equipped guitar.
 - 3. LFO Pedal:** This is the input for a Korg/Yamaha style CV pedal to control LFO depth. A Roland or EV-5 style pedal will not work. The maximum depth of the LFO pedal is set by the Front Panel **LFO Knob**. To get maximum control from the **LFO Pedal**, set the front panel **LFO Knob** to 100% (fully clockwise).
-

ADDITIONAL NOTES

The RC-1324-PDL Bus Converter is powered by the connected 24-pin synthesizer. The unit will not work unless the attached guitar synthesizer is turned on.

The RC-1324-PDL uses special circuitry to adapt the volume knob on the 13-pin guitar to control the vintage, 24-pin synthesizer. The RC-1324-PDL has been tested with the Roland US-20 Unit Selector. In this case the volume knob on the guitar will control the volume of both the vintage, 24-pin synthesizer and the modern, 13-pin synthesizer.

SPECIFICATIONS

RC-1324-PDL Bus Converter:

- **Connectors:** One 24-pin output connector, one 13-pin input connector, and one 1/4" input for LFO pedal.

- **Dimensions:** 8 (W) x 11(D) x 4.25(H) inches

- **Weight:** 2 lbs 12 oz

v1.0 10.07.2006
© copyright October 2006
www.gr300.com